




PART 3 OF 4 · CABLE MANAGEMENT SYSTEMS

Trunking and channels

Enclosed trunking with fittings, and strut channels for support frames.

■ Cable trunking

■ Strut channels

Part numbers and finishes

Every CASK Steel part number describes the product. Read the size from the tables, then add the finish code. The ERP builds the same number from the size, so offers, orders and the catalogue always match.

CST-CT004	-	300	-	100	-	1.5	-	HDG
Product base number		Width W mm		Side height H mm		Thickness T mm		Finish see below

Fittings

Bends, tees and crosses use the same order. Where more than one radius is offered, R is added after the thickness: CST-CT023-300-100-1.5-R300-HDG.

Other lengths

Standard length is 3000 mm. Where a size is also made in another length, it is added before the finish: CST-CT004-100-50-2.0-L2500-HDG.

Earlier numbers

Numbers from previous catalogues and offers (for example CST-CT004-007) remain valid and are linked to the new number.

CODE		FINISH	DESCRIPTION	CORROSION RESISTANCE
-HDG		Hot dip galvanized	Zinc coating applied after fabrication, EN ISO 1461. Standard finish; a number without a finish code means HDG.	●●●●● Outdoor, industrial, C4
-PG		Pre-galvanized	Sendzimir galvanized strip, EN 10346 (Z275). Clean, bright finish.	●●●●● Indoor, dry, C1 to C2
-ZM		Zinc-aluminium-magnesium (ZM) alloy coated steel	Zn + 3.5% Al + 3% Mg alloy coating to EN 10346. Up to 3× the corrosion resistance of HDG, self-healing cut edges, longer life.	●●●●● Severe outdoor, coastal, C4 to C5
-EP		HDG + epoxy / polyester powder coat	Hot dip galvanized, then powder coated. RAL colour on request.	●●●●● Coastal, chemical, C5
-SS304		Stainless steel AISI 304	Food, pharma and clean areas; pickled and passivated.	●●●●● Indoor wet areas, C3 to C4
-SS316		Stainless steel AISI 316L	Highest corrosion resistance: offshore, marine and chemical plants.	●●●●● Marine, offshore, C5
-AL		Aluminium	Light weight, non-magnetic. For ladders and selected trays.	●●●●● Indoor and outdoor, C3

How to read the size tables

Each product has one table. Find your **width** in the rows and your **side height** in the columns. The cell shows the sheet thicknesses we make in that size. Put the three values and the finish code after the base number.

A dash means the size is not standard; ask us for made-to-order sizes.

W \ H	H 50	H 75	H 100
100	1.2 / 1.5	1.5	1.5 / 2.0
150	1.5	1.5 / 2.0	1.5 / 2.0
200	1.5	2.0	—

W 150 · H 75 · T 1.5 · hot dip galvanized

CST-CT004-150-75-1.5-HDG

Trunking and channels

Enclosed trunking with fittings, and strut channels for support frames. Pick the size in the table and add the finish code.

Cable trunking

Cable trunking 9 sizes

CST-TK002



- Supplied with joint holes; all finishes available

Example part number

CST-TK002-200-100-1.5-HDG


Side height H (mm) → cells show sheet thickness T (mm)

Width W (mm)	H 50	H 100	H 150
50	2.0	–	–
100	1.2	1.2 / 1.5 / 2.0	–
150	–	–	2.0
200	–	1.5	–
300	–	1.5 / 2.0	–

Length 2,500 and 3,000 mm. Depth 50, 75, 85, 100, 150 mm. Sheet thickness 1.2 mm (light), 1.5 mm (medium), 2.0 mm (heavy).

Cable trunking 90° flat bend 4 sizes

CST-TK004



- Supplied with joint holes; all finishes available

Example part number


CST-TK004-300-100-1.5-HDG

Side height H (mm) → cells show sheet thickness T (mm)

Width W (mm)	H 50	H 100
100	1.2	1.5
200	–	1.5
300	–	1.5

Cable trunking 45° flat bend 3 sizes

CST-TK003



- Supplied with joint holes; all finishes available

Example part number


CST-TK003-300-100-1.5-HDG

All dimensions in mm. Every width is made in each listed side height.

W	T	H	W	T	H	W	T	H
100	1.5	100	200	1.5	100	300	1.5	100

Cable trunking tee 5 sizes

CST-TK005




- Supplied with joint holes; all finishes available

Example part number
CST-TK005-300-100-1.5-HDG

Side height H (mm) → cells show sheet thickness T (mm)		
Width W (mm)	H 50	H 100
100	1.2	1.5 / 2.0
200	–	1.5
300	–	1.5

Cable trunking vertical tee 3 sizes

CST-TK006




- Supplied with joint holes; all finishes available

Example part number
CST-TK006-300-100-1.5-HDG

All dimensions in mm. Every width is made in each listed side height.								
W	T	H	W	T	H	W	T	H
100	1.5	100	200	1.5	100	300	1.5	100

Cable trunking cross made to order

CST-TK011




- Supplied with joint holes; all finishes available

Example part number
CST-TK011-HDG

Made to order. Ask us for sizes.
Radius R300 mm. Widths W 100, 150, 300, 450, 600, 750 mm.

Cable trunking reducer, straight made to order

CST-TK012




Made to order. Ask us for sizes.
Made to suit the straight trunking widths.

- Supplied with joint holes; all finishes available

Example part number
CST-TK012-HDG

Cable trunking reducer, right made to order

CST-TK013




Made to order. Ask us for sizes.
Made to suit the straight trunking widths.

- Supplied with joint holes; all finishes available

Example part number
CST-TK013-HDG

Cable trunking reducer, left made to order

CST-TK014



Made to order. Ask us for sizes.
Made to suit the straight trunking widths.


- Supplied with joint holes; all finishes available

Example part number
CST-TK014-HDG

Cable trunking 90° vertical inside bend

made to order

CST-TK015



Made to order. Ask us for sizes.
Made to suit the straight trunking widths.


- Supplied with joint holes; all finishes available

Example part number
CST-TK015-HDG

Cable trunking 90° vertical outside bend

made to order

CST-TK016



Made to order. Ask us for sizes.
Made to suit the straight trunking widths.

- Supplied with joint holes; all finishes available


Example part number
CST-TK016-HDG

Strut channels

C channel, single

19 sizes

CST-CH004



- Continuous slot for spring nuts and fixings


Example part number
CST-CH004-100-50-10.0-HDG

Side height H (mm) → cells show sheet thickness T (mm)						
Width W (mm)	H 2.5	H 21	H 41	H 45	H 50	H 120
41	–	1.5	1.5 / 2.0* / 2.5* / 2.6 / 3.0*	–	–	–
42	2.5	–	–	–	–	–
80	–	–	–	6.0*	–	–
100	–	–	–	–	10.0	–
120	–	–	–	–	–	6.5*
128	–	–	–	–	5.1*	–

* also available in 2500 mm length (add -L2500 before the finish code).

C channel, single, slotted 31 sizes

CST-CH007




Side height H (mm) → cells show sheet thickness T (mm)

Width W (mm)	H 21	H 41
41	2.0 / 2.5	2.0* / 2.5* / 3.0* / 5.0*

* also available in 2500 mm length (add -L2500 before the finish code).

- Continuous slot for spring nuts and fixings

Example part number
CST-CH007-41-41-2.5-HDG





PRODUCT CATALOGUE 2026

Cable Management Systems

ADDRESS

Cerkesli Mah. Tavsancil Sok. No 72
Dilovasi, Kocaeli, Turkey

PHONE

+90 552 520 40 10

EMAIL

casksteel@caskelectric.com

WEBSITE

www.caskelectric.com

